

The better way to build™



## Installation Manual EXTERIOR WALL SIPs



## EXTERIOR WALL SIPs Installation Manual

### Table of Contents

#### Topics

General Requirements . . . . .	3
Materials . . . . .	3
Electrical Wiring . . . . .	3
Interior Finish . . . . .	4
Exterior Cladding . . . . .	4
Materials Estimating . . . . .	5

#### Details

Air Barrier Details for Air Barrier Sealants . . . . .	AB-1
Air Barrier Details for Sealing SIP Connections . . . . .	AB-2
Vapour Barrier Details for Vapour Sealing SIP Connections . . . . .	VB-1
Foam Core (SIP) Spline Detail . . . . .	W-1
Wood Stud Spline Joint Detail . . . . .	W-2
Typical Wall Section . . . . .	W-3
Floor-to-Wall Connection Detail . . . . .	W-4
Sill Plate Detail . . . . .	W-5
Wall Butt Corner Connection Detail . . . . .	W-6
Window Cut-Out (Non-Load Bearing Wall) . . . . .	W-7
Panel Lintel/Header Details & Bearing Conditions 1-4 . . . . .	W-8
Lintel Detail . . . . .	W-9
Point Load Detail . . . . .	W-10
Knee Wall Detail . . . . .	W-11
Door & Window Rough Openings . . . . .	W-12
Wood Ledger Attached to SIP Wall Panel . . . . .	W-13
Kicker Truss Detail . . . . .	W-14
Vertical Electrical Chase . . . . .	W-15
Exterior Wire Fastened to SIP Exterior . . . . .	W-16
Exterior Wall Cladding - Brick & Cultured Stone . . . . .	W-17
Exterior Wall Cladding - Stucco (Traditional & EIFS) . . . . .	W-18
Exterior Wall Cladding - Siding . . . . .	W-19
Interior Wall Finish - Gypsum . . . . .	W-20: TBD
Pre-Fabricated Metal Chimney Installation in Wall . . . . .	W-21
Screw Fastening Detail for Securing Shelving to Panel . . . . .	W-22
Wall SIP to ICF Connection . . . . .	W-23
SIP Wall to Concrete Knee Wall Connection . . . . .	W-24
60 Min. Partywall Single Wall STC Rating 50 . . . . .	PW-1
Partywall Electrical Detail (60 Min. Single Wall) . . . . .	PW-2
60 Min. Partywall Double Wall STC Rating 50 . . . . .	PW-3
Partywall Electrical Detail (60 Min. Double Wall) . . . . .	PW-4
Vertical Panel Connections Spline & Corner (Timberframe) . . . . .	W-TF-1
Horizontal Connections at Beams (Timberframe) . . . . .	W-TF-2
Foundation Details Deck Options (Timberframe) . . . . .	W-TF-3

## EXTERIOR WALL SIPs

### Installation Manual

#### 1. General Requirements

##### 1.1 Scope

The basic design and construction requirements for the Thermapan Structural Insulated Panel (SIP) wall system is set forth in this specification. Criteria for materials, environmental control, design loads, and structural design are included. Where requirements are based on internationally recognized standards and specifications, these standards and specifications are referenced without elaboration.

**Installers shall reference engineering design package for fastening arrangements.**

#### 2. Materials

- 2.1 The Thermapan Wall SIP is composed of an expanded polystyrene (EPS) foam core laminated between two layers of oriented strand board (OSB) with a structural adhesive. (See Detail W-1)
- 2.2 Framing Lumber shall be DOC PS 20 or NLGA No.2 or better.
- 2.3 Wire nails, ring nails, spikes and staples shall conform to CSA B111 or ANSI/ASME B11.1.
- 2.4 Wood screws shall conform to ANSI/ASME B18.6.1..
- 2.5 SIP screws shall conform to ICC-AC233.
- 2.6 Caulking Compounds shall conform to CAN/CGSB 19.13 or ASTM C 920.
- 2.7 Polyethylene Sheeting shall conform to CAN/CGSB-37.2, CAN/CGSB-37.16, or ASTM D 4397.
- 2.8 Low expansion foam seal shall conform to AAMA 812-04.
- 2.9 Structural adhesive shall conform to CAN/CGSB 71GP26, APA AFG-01 or ASTM D3498.

#### 3. Electrical Wiring

- 3.1 All wire chases to be vertically cut into the wall SIP at a minimum depth of 2". See Detail W-14.

#### **4. Interior Finish**

**4.1** The interior of the wall SIP can be finished with any of the common required building code materials. It is recommended that the SIP joints and connections be sealed as per Details AB-1 and AB-2.

#### **5. Exterior Cladding**

**5.1** A weather barrier is to be installed over the exterior OSB of the SIP and under the cladding and/or furring. Refer to Details W-15 and W-16 and your local building code for compliant weather barrier materials.

MATERIALS ESTIMATING  
**Above Grade Exterior Walls**  
**Estimation Only**

**Lumber Requirements:**

- SPF Single top and bottom plate
- OSB 1-1/8" (28mm) Cap plate – 12 ft (3658mm) lengths
- Every panel requires a spline
- Every corner requires 2 SPF studs
- Windows and doors require jack studs as per OBC and cripples

**Caulking and Sealant Requirements:**

- Every 1200 sqft (111 m<sup>2</sup>) of SIP equals 1 case of Expandable Foam
- Every 2000 sqft (185 m<sup>2</sup>) of SIP requires 1 case of Sealant

**Fasteners:**


- Recommend 2" (50mm) Ring nail or 2" (50mm) screws for connection to panel
- 3.0 times the square footage of SIPs

# AIR BARRIER

## RECOMMENDED DETAILS FOR AIR BARRIER SEALANTS


All sealants, FOAM (A) or CAULKING (B), should be applied onto the SIP in a continuous rectangular pattern along the outer most edge of the area to be sealed.

(A) A low expansion EXPANDABLE FOAM SEALANT should conform to the AAMA 812-04 standard. Apply a 1/2 inch or a 12.5 mm diameter of a *continuous* bead of expandable foam sealant onto the SIP:



(B) A CAULKING SEALANT should conform to ASTM C920-02 and/or CAN/CGSB 19.13-M.

Apply a 3/8 inch or a 10 mm diameter *continuous* bead of caulking onto the lumber spline:




 <b>Thermapan</b> Structural Insulated Panels  <a href="http://www.thermapan.com">www.thermapan.com</a> 1-877-443-WALL (9255)	TITLE		PROJECT	
	AIR BARRIER DETAILS FOR AIR BARRIER SEALANTS			
	REFERENCE	SCALE		
		N.T.S.		
DATE	REVISION	DWG. No.		
NOVEMBER 2010	1	AB-1		

# AIR BARRIER


## RECOMMENDED DETAILS FOR SEALING SIP CONNECTIONS

(1) Foam to Foam: Use a low expansion foam sealant.




SIP SPLINE JOINT

(2) Foam to Wood: Use a low expansion foam sealant.



(3) Wood to Wood: Use caulking and a low expansion foam sealant.



 <p><b>Thermapan</b> Structural Insulated Panels</p> <p>www.thermapan.com 1-877-443-WALL (9255)</p>	TITLE		PROJECT	
	AIR BARRIER DETAILS FOR SEALING SIP CONNECTIONS			
	REFERENCE	SCALE		
		N.T.S.		
	DATE	REVISION	DWG. No.	
	MAY 2020	1	AB-2	


# VAPOUR BARRIER

## RECOMMENDED DETAILS FOR VAPOUR SEALING SIP CONNECTIONS


The function of a vapour barrier is to control the entry of water vapour into the building assembly. Vapour barriers should not be confused with an air barrier.

All SIP seams and connections must be VAPOUR SEALED from the INTERIOR.


These are recommended vapour barrier methods:




CONTINUOUS 6 MIL POLY  
**RECOMMENDED**



## 6 MIL POLY STRIPS & CAULKING



## CAULKING



## SIP TAPE




# Thermapan

Structural  
Insulated  
Panels


www.thermapan.com  
1-877-443-WALL (9255)

TITLE <b>VAPOUR BARRIER DETAILS FOR VAPOUR SEALING SIP CONNECTIONS</b>		PROJECT
REFERENCE	SCALE N.T.S.	
DATE MAY 2020	REVISION 2	DWG. No. VB-1

ISOMETRIC  
VIEW



TOP  
VIEW



INTERIOR

NOTE: REFER TO AIR BARRIER (AB-2) DETAIL FOR SEALING SIP CONNECTIONS.




**Thermapan**  
Structural  
Insulated  
Panels

www.thermapan.com  
1-877-443-WALL (9255)

TITLE		PROJECT
FOAM CORE (SIP) SPLINE DETAIL		
REFERENCE	SCALE	
	N.T.S.	
DATE	REVISION	DWG. No.
APRIL 2014	6	W-1


ISOMETRIC  
VIEW



TOP  
VIEW

EXTERIOR

DOUBLE  
STUD  
SPLINE



INTERIOR

NOTE: REFER TO AIR BARRIER (AB-2) DETAIL FOR SEALING SIP CONNECTIONS.



**Thermapan**  
Structural  
Insulated  
Panels

www.thermapan.com  
1-877-443-WALL (9255)

TITLE

WOOD STUD SPLINE  
JOINT DETAIL

PROJECT

REFERENCE

SCALE

N.T.S.

DATE


APRIL 2014

REVISION


6

DWG. No.



W-2



DETAIL A



DETAIL B



NOTE: REFER TO AIR BARRIER (AB-2) DETAIL FOR SEALING SIP CONNECTIONS.



**Thermapan**  
Structural  
Insulated  
Panels

[www.thermapan.com](http://www.thermapan.com)  
1-877-443-WALL (9255)

TITLE

TYPICAL WALL SECTION

PROJECT

REFERENCE

SCALE

N.T.S.

DATE




REVISION

6

DWG. No.

W-3

## PLATFORM FRAMING



### SUSPENDED FLOOR DETAIL



**Thermapan**  
Structural  
Insulated  
Panels

www.thermapan.com  
1-877-443-WALL (9255)

TITLE

### FLOOR-TO-WALL CONNECTION DETAIL

PROJECT

REFERENCE

SCALE

N.T.S.

DATE


REVISION

DWG. No.

JUNE 2016


6

W-4




**NOTE:** REFER TO AIR BARRIER (AB-2) DETAIL FOR SEALING SIP CONNECTIONS.

 <p><b>Thermapan</b> Structural Insulated Panels</p> <p>www.thermapan.com 1-877-443-WALL (9255)</p>	TITLE		PROJECT	
	SILL PLATE DETAIL			
	REFERENCE	SCALE		
		N.T.S.		
	DATE	REVISION	DWG. No.	
	JUNE 2016	5	W-5	




**CORNER DETAIL**  
(FOR BRICK VENEER OR SIDING)



**CORNER DETAIL**  
(FOR STUCCO)


**NOTE:** REFER TO AIR BARRIER (AB-2) DETAIL FOR SEALING SIP CONNECTIONS.

 <p><b>Thermapan</b> Structural Insulated Panels</p> <p>www.thermapan.com 1-877-443-WALL (9255)</p>	TITLE		PROJECT	
	WALL BUTT CORNER CONNECTION DETAIL			
	REFERENCE	SCALE		
	DATE	REVISION		
	JUNE 2016	5	W-6	



FOR ROUGH OPENINGS A DEPTH OF 1-1/2"(38 mm) OF FOAM IS REMOVED FROM THE PERIMETER OF THE OPENING. THE ROUTED SPACE IS THEN FILLED WITH MATERIAL CONSISTENT WITH THE THICKNESS OF THE PANEL CORE.

THESE ARE SECURED IN PLACE WITH NAILS OR SCREWS @8" (203 mm) O/C MAX., TO CREATE THE ROUGH OPENING.




 <p><b>Thermapan</b> Structural Insulated Panels</p> <p>www.thermapan.com 1-877-443-WALL (9255)</p>	TITLE		PROJECT	
	WINDOW CUT-OUT (NON-LOAD BEARING WALL)			
	REFERENCE	SCALE		
		N.T.S.		
	DATE	REVISION	DWG. No.	
	FEBRUARY 2012	2	W-7	

## DETAIL 1

### CONDITION 1:

- (1) MAX 9'-1" WALL HEIGHT
- (2) MAX 5,000 LBS. (22.3 kN) FACTORED REACTION
- (3) CONFIRM JACK POST REACTIONS
- (4) SINGLE JACK STUD

NOTE: REFER TO APPENDIX A OR DESIGN HANDBOOK FOR ALLOWABLE HEADER LOADS.




## DETAIL 2

### CONDITION 2:

- (1)  $9'-1'' \leq X \leq 12'$  (WALL HEIGHT)
- (2) MAX 5,000 LBS. (22.3 kN) FACTORED REACTION
- (3) CONFIRM JACK POST REACTIONS
- (4) SINGLE JACK AND KING STUD


NOTE: OSB TO BE ADDED TO BOTH SIDES OF STUDS WHEN ONLY 1-1/2" FOAM RECESS IS PROVIDED IN WALL PANEL.  
REFER TO APPENDIX A OR DESIGN HANDBOOK FOR ALLOWABLE HEADER LOADS.



## DETAIL 3

### INSTALLING STUDS:


1. REMOVE OSB ONE SIDE
2. REMOVE FOAM
3. INSTALL STUDS
4. REPLACE OSB



### CONDITION 3:

- (1)  $X \geq 12'$  (WALL HEIGHT)
- (2) MAX 5000 LBS. (22.3 kN) FACTORED REACTION
- (3) CONFIRM JACK POST REACTIONS
- (4) SINGLE JACK AND DOUBLE KING STUDS


NOTE: REFER TO APPENDIX A OR DESIGN HANDBOOK FOR ALLOWABLE HEADER LOADS.



## DETAIL 4

### INSTALLING STUDS:


1. REMOVE OSB ONE SIDE
2. REMOVE FOAM
3. INSTALL STUDS
4. REPLACE OSB






### CONDITION 4:

- (1)  $X \geq 12'$  (WALL HEIGHT)
- (2) MAX 10,000 LBS. (44.6 kN) FACTORED REACTION
- (3) CONFIRM JACK POST REACTIONS
- (4) DOUBLE JACK AND DOUBLE KING STUDS

NOTE: REFER TO APPENDIX A OR DESIGN HANDBOOK FOR ALLOWABLE HEADER LOADS.




TITLE	PANEL LINTEL/HEADER DETAILS & BEARING CONDITIONS 1 - 4		PROJECT
	REFERENCE	SCALE	
	N.T.S.		
	DATE	REVISION	DWG. No.
 <b>Thermapan</b> Structural Insulated Panels	NOVEMBER 2023	1	W-8




 <p><b>Thermapan</b> Structural Insulated Panels</p> <p>www.thermapan.com 1-877-443-WALL (9255)</p>	TITLE		PROJECT	
	<b>LINTEL DETAIL</b> <b>(HEADER BY OTHERS)</b>			
	REFERENCE	SCALE		
		N.T.S.		
DATE		REVISION	DWG. No.	
NOVEMBER 2021		5	W-9	

COLUMN (BUILT-UP STUDS, TIMBER, STEEL, ETC.)  
INSTALL AS PER LOCAL BUILDING CODE.




REMOVE BOTTOM PLATE SECTION AND INSTALL COLUMN DIRECTLY ONTO FLOOR IF LOAD IS GREATER THAN BEARING RESISTANCE OF WOOD PLATE.

### SECTION A-A




## TYPICAL STEEL POST TO SIP CONNECTIONS


FASTEN WOOD BLOCKING TO STEEL COLUMN USING STEEL-TO-WOOD SCREWS AND FASTEN SIP PANEL SKIN TO BLOCKING USING 8d NAILS @ 6" O.C. TYP.



FASTEN STRIP OF OSB/PLYWOOD TO SIP SKIN USING 8d NAILS @ 6" O.C. TYP.



FASTEN STRIP OF OSB/PLYWOOD TO SIP SKIN USING 8d NAILS @ 6" O.C. TYP.



**Thermapan**  
Structural  
Insulated  
Panels

[www.thermapan.com](http://www.thermapan.com)  
1-877-443-WALL (9255)

TITLE

POINT LOAD DETAIL

PROJECT

REFERENCE

SCALE

N.T.S.

DATE


REVISION

DWG. No.



AUGUST 2025

5

W-10



 <p><b>Thermapan</b> Structural Insulated Panels</p> <p>www.thermapan.com 1-877-443-WALL (9255)</p>	TITLE		PROJECT	
	KNEE WALL DETAIL			
	REFERENCE	SCALE		
		N.T.S.		
	DATE	REVISION	DWG. No.	
	MAY 2009	1	W-11	




FOR ROUGH OPENINGS A DEPTH OF 1 1/2 " OF FOAM IS REMOVED FROM THE PERIMETER OF THE OPENING. THE ROUTED SPACE IS THEN FILLED WITH A MATERIAL CONSISTENT WITH THE THICKNESS OF THE PANEL CORE.

THESE ARE SECURED IN PLACE WITH NAILS OR SCREWS @8" O/C MAX., TO CREATE THE ROUGH OPENING.

THE WINDOW OR DOOR IS THEN INSTALLED CONVENTIONALLY.


NOTE: REFER TO LINTEL DETAILS W-7.




**Thermapan**  
Structural  
Insulated  
Panels

[www.thermapan.com](http://www.thermapan.com)  
1-877-443-WALL (9255)


REFERENCE	SCALE	PROJECT	
		N.T.S.	
FEBRUARY 2012	3	DWG. No.	W-12



LEDGER CAN ALSO BE NAILED OR SCREWED (3.5" LONG) INTO LUMBER SPLINES (IF USED) AT 4' O/C





TITLE	PROJECT	
	REFERENCE	SCALE
WOOD LEDGER ATTACHED TO SIP WALL PANEL <sup>®</sup>		NTS
www.thermapan.com 1-877-443-WALL (9255)	APRIL 2020	3 W-13



 <p><b>Thermapan</b> Structural Insulated Panels</p> <p>www.thermapan.com 1-877-443-WALL (9255)</p>	TITLE		PROJECT	
	KICKER TRUSS DETAIL			
	REFERENCE	SCALE		
		N.T.S.		
	DATE	REVISION	DWG. No.	
	OCTOBER 2021	1	W-14	

## ISOMETRIC



SECTION A-A

### NOTES:

1. MAXIMUM OF TWO (2) VERTICAL CHASES PERMITTED FOR WALL PANELS 2'-6" (760mm) TO 4' (1220 mm) WIDE, MINIMUM 18"(457mm) APART.
2. MAXIMUM OF ONE (1) VERTICAL CHASE PERMITTED FOR WALL PANELS LESS THAN 2'-6" WIDE (760mm) .




**Thermapan**  
Structural  
Insulated  
Panels


www.thermapan.com  
1-877-443-WALL (9255)

TITLE		PROJECT
VERTICAL ELECTRICAL CHASE <sup>®</sup>		
REFERENCE	SCALE	
FEBRUARY 2018	2	W-15

## MASONRY VENEER





## WOOD SIDING





 <p><b>Thermapan</b> Structural Insulated Panels</p> <p>www.thermapan.com 1-877-443-WALL (9255)</p>	TITLE		PROJECT	
	ELECTRICAL WIRE FASTENED TO SIP EXTERIOR			
	REFERENCE	SCALE		
		N.T.S.		
	DATE	REVISION	DWG. No.	
	MARCH 2021		W-16	

## MASONRY VENEER




 <p><b>Thermapan</b> Structural Insulated Panels</p> <p>www.thermapan.com 1-877-443-WALL (9255)</p>	TITLE		PROJECT	
	EXTERIOR WALL CLADDING BRICK & CULTURED STONE			
	REFERENCE	SCALE		
		N.T.S.		
	DATE	REVISION	DWG. No.	
	MARCH 2023		W-17	



<p><b>Thermapan</b> Structural Insulated Panels</p> <p>www.thermapan.com 1-877-443-WALL (9255)</p>	TITLE		PROJECT	
	EXTERIOR WALL CLADDING STUCCO (TRADITIONAL & EIFS)			
	REFERENCE	SCALE		
		N.T.S.		
	DATE	REVISION	DWG. No.	
	MARCH 2023		W-18	


## VINYL SIDING



## FIBRE CEMENT SIDING

FOR FIBRE CEMENT LAP SIDING  
REFER TO MANUFACTURER'S  
RECOMMENDED FASTENING  
METHODS.

## WOOD SIDING



## FURRING REQUIREMENTS (WOOD SIDING)

FURRING SPACING	FASTENER SPACING (MIN 1-1/2" SCREWS)	FASTENER SPACING (MIN 1-1/4" NAILS)
16" O/C	10" O/C	8" O/C
24" O/C	8" O/C	8" O/C

NOTE: ALL NAILS TO BE RING (ANNULARLY THREADED).  
FURRING TO BE AS RECOMMENDED BY SIDING  
MANUFACTURER.



**Thermapan**  
Structural  
Insulated  
Panels

www.thermapan.com  
1-877-443-WALL (9255)

TITLE

EXTERIOR WALL CLADDING:  
SIDING

PROJECT

REFERENCE

SCALE

N.T.S.

DATE


REVISION

DWG. No.

AUGUST 2017


3

W-19




NOTE: ABOVE DETAILS ARE TYPICAL REQUIREMENTS TO INSTALL A PREFABRICATED METAL CHIMNEY IN A THERMAPAN STRUCTURAL INSULATED PANEL. THE CHIMNEY INSTALLATION MUST COMPLY WITH THE CHIMNEY MANUFACTURER'S SPECIFICATION AND THE APPLICABLE BUILDING CODE.

 <p><b>Thermapan</b> Structural Insulated Panels</p> <p>www.thermapan.com 1-877-443-WALL (9255)</p>	TITLE		PROJECT	
	PRE-FABRICATED METAL CHIMNEY INSTALLATION IN WALL			
	REFERENCE			
	SCALE N.T.S.			
	DATE	REVISION	DWG. No.	
	FEBRUARY 2019		W-21	



DETAIL A




PANEL EPS      PANEL OSB      LOAD


NOTE: NUMBER 10 TYPE A SHEET METAL SCREWS CAN RESIST A PULL OUT OF 106 POUNDS IN 7/16" OSB. CONTRACTOR TO CONFIRM LOAD TO BE SECURED AND NUMBER OF FASTENERS REQUIRED. FULL THICKNESS OF OSB TO RECEIVE SCREW THREAD ON ANGLE AS DETAILED

\*THE GIVEN LOAD CAPACITY OF THE SCREW IS BASED ON THE AVERAGE ULTIMATE FAILURE LOAD DIVIDED BY A FACTOR OF SAFETY OF 3 AND TAKING INTO ACCOUNT A LONG TERM LOAD DURATION FACTOR OF 0.9. DESIGNERS MUST USE THE APPROPRIATE SAFETY FACTOR AND LOAD DURATION FACTOR FOR EACH LOADING CONDITION.

 <p><b>Thermapan</b> Structural Insulated Panels</p> <p>www.thermapan.com 1-877-443-WALL (9255)</p>	TITLE		PROJECT
	REFERENCE	SCALE	
		N.T.S.	
	DATE	REVISION	DWG. No.
	MARCH 2022	1	W-22



**SIP WALL TO ICF CONNECTION  
(TAPERED TOP OF ICF WALL)**




**SIP WALL TO ICF CONNECTION  
(SQUARE TOP OF ICF WALL)**

 <p><b>Thermapan</b> Structural Insulated Panels</p> <p>www.thermapan.com 1-877-443-WALL (9255)</p>	TITLE		PROJECT	
	WALL SIP TO ICF CONNECTION DETAIL			
	REFERENCE	SCALE		
		N.T.S.		
	DATE	REVISION	DWG. No.	
	MARCH 2024	1	W-23	

**NOTE:**

1. THE CONCRETE CONTRACTOR SHALL ENSURE THAT THE KNEE WALL IS DESIGNED TO RESIST LATERAL LOADS AT THE BASE OF THE SIP WALL.
2. THE CONTRACTOR SHALL ENSURE THAT ALL SIP SKINS (OSB) BEAR FULLY ON THE CONCRETE WALLS. OFFSETTING OF SIP SKINS IS NOT PERMITTED.



 <p><b>Thermapan</b> Structural Insulated Panels</p> <p>www.thermapan.com 1-877-443-WALL (9255)</p>	TITLE		PROJECT	
	SIP WALL TO CONCRETE KNEE WALL CONNECTION			
	REFERENCE			
	SCALE N.T.S.			
DATE DECEMBER 2025		REVISION 1	DWG. No. W-24	

TRUSSES INSTALLED AS  
PER LOCAL BUILDING CODE

5/8" TYPE C GYPSUM BD.  
5/8" TYPE C GYPSUM BD.  
SONOSECUR ACOUSTICAL PANEL  
(one side only)  
1/2" RESILIENT CHANNEL RC-1  
6 1/2" STRUCTURAL FOAM  
CORE PANEL

CONT. FIRE RATED  
CAULKING TYP.


INSTALL AS PER LOCAL  
BUILDING CODE OR JOIST  
SUPPLIER SPEC.

5/8" TYPE C GYPSUM BD.  
5/8" TYPE C GYPSUM BD.  
SONOSECUR ACOUSTICAL PANEL  
(one side only)  
1/2" RESILIENT CHANNEL RC-1  
6 1/2" STRUCTURAL FOAM  
CORE PANEL

CONT. FIRE RATED CAULKING TYP.

INSTALL AS PER LOCAL  
BUILDING CODE OR JOIST  
SUPPLIER SPEC.


POURED CONCRETE OR  
BLOCK FOUNDATION  
WALL



STRUCTURAL CAPACITY FOR WALL  
NOT TO EXCEED 32.4 kN/m  
(2217 LBS. PER LINEAR FOOT)  
FOR OTHER REQUIREMENTS,  
INCLUDING STRUCTURAL LOAD,  
REFER TO MANUFACTURER'S  
INSTRUCTIONS.

5/8" TYPE C GYPSUM BD.  
5/8" TYPE C GYPSUM BD.  
1/2" RESILIENT CHANNEL

INSTALL TOP PLATE AND CAP  
SECURED TO STUDS WITH 95 mm  
SPIRAL NAILS



2nd FL.

1st FL.

PARTYWALL

\* UL / ULC LABELLED GYPSUM SHEATHING

NOTE: TESTED IN CONFORMANCE WITH  
CAN/ULC-S101-M, "FIRE ENDURANCE  
TESTS OF BUILDING CONSTRUCTION AND  
MATERIALS"



**Thermapan**  
Structural  
Insulated  
Panels

www.thermapan.com  
1-877-443-WALL (9255)

TITLE

**60 MIN. PARTYWALL  
SINGLE WALL STC RATING 50**

PROJECT

REFERENCE

SCALE

N.T.S.

DATE


REVISION

DWG. No.

JULY 2023

9

W-PW-1



#### ASSEMBLY OF RESILIENT CHANNEL (5)

THE RESILIENT CHANNELS ARE ORIENTED VERTICALLY AT 16" (400 mm) OC AND SECURED WITH 1" (25 mm) TYPE W GYPSUM BOARD SCREWS AT 16" (400 mm) OC TO THE STRUCTURAL INSULATED PANEL (SIP)

#### ASSEMBLY OF SONOSECUR ACOUSTIC PANEL (4)

TACK THE SONOSECUR ACOUSTIC PANEL WITH 1" (25 mm) LONG TYPE W GYPSUM BOARD SCREWS TO HOLD IN PLACE. THE SONOSECUR ACOUSTIC PANEL IS ASSEMBLED ON ONE SIDE ONLY.

#### ASSEMBLY OF FIRST LAYER 5/8" TYPE C GYPSUM (6)

INSTALL THE FIRST GYPSUM LAYER (6) VERTICALLY ONTO RESILIENT CHANNELS WITH 1" (25 mm) TYPE W GYPSUM SCREWS SPACED 16" (400 mm) OC.

#### ASSEMBLY OF SECOND LAYER 5/8" TYPE C GYPSUM (7)

THE JOINTS OF THE SECOND LAYER SHOULD BE OFFSET AND STAGGERED FROM FIRST LAYER. THE SECOND LAYER SHOULD HAVE 1.75" (44 mm) SCREWS AT 12" (304 mm) OC. THE FIRST LAYER OF GYPSUM DOES NOT HAVE TO BE TAPE. ONLY THE SECOND LAYER HAS TO BE FINISHED. JOINTS SHOULD BE COVERED WITH COMPOUND, COVERED WITH JOINT TAPE AND COVERED WITH AN ADDITIONAL TWO COATS OF JOINT COMPOUND. SCREW HEADS COVERED WITH JOINT COMPOUND.

UL GYPSUM BOARD FIRECODE "C"

 <p><b>Thermapan</b> Structural Insulated Panels</p> <p>www.thermapan.com 1-877-443-WALL (9255)</p>	TITLE		PROJECT	
	PARTYWALL ELECTRICAL DETAIL (60 MINUTE WALL RATED ASSEMBLY (SINGLE WALL) STC RATING 50)			
	REFERENCE	SCALE		
	8015	N.T.S.		
DATE	REVISION	DWG. No.		
JULY 2023	9	W-PW-2		

TRUSSES INSTALLED AS  
PER BUILDING CODE

5/8" TYPE C GYPSUM BD.  
5/8" TYPE C GYPSUM BD.  
SONOSECUR ACOUSTICAL PANEL  
(one side only)  
1/2" RESILIENT CHANNEL RC-1  
4 1/2" STRUCTURAL FOAM  
CORE PANEL

1" AIR SPACE

CONTINUOUS FIRE  
RATED CAULKING

INSTALL AS PER LOCAL  
BUILDING CODE OR JOIST  
SUPPLIER SPEC.

5/8" TYPE C GYPSUM BD.  
5/8" TYPE C GYPSUM BD.  
SONOSECUR ACOUSTICAL PANEL  
(one side only)  
1/2" RESILIENT CHANNEL RC-1  
4 1/2" STRUCTURAL FOAM  
CORE PANEL

1" AIR SPACE

CONTINUOUS FIRE  
RATED CAULKING

INSTALL AS PER LOCAL  
BUILDING CODE OR JOIST  
SUPPLIER SPEC.

POURED CONCRETE OR  
BLOCK WALL FOUNDATION

ULC LABELLED CANADIAN GYPSUM COMPANY "SHEETROCK FIRECODE C" OR "SHEETROCK SW FIRECODE C"

STRUCTURAL CAPACITY FOR WALL  
NOT TO EXCEED 32.4 kn/m  
(2217 LBS. PER LINEAR FOOT)  
FOR OTHER REQUIREMENTS,  
INCLUDING STRUCTURAL LOAD,  
REFER TO MANUFACTURER'S  
INSTRUCTIONS.

INSTALL TOP PLATE AND CAP  
SECURED TO STUDS WITH 95 mm  
SPIRAL NAILS

50 mm RING  
NAILS @  
250 mm O/C  
(TYP)

DOUBLE STUD SPLINE  
SECURED TO PLATE WITH  
83 mm SPIRAL NAILS

NOTE: TESTED IN CONFORMANCE WITH  
CAN/ULC-S101-M, "FIRE ENDURANCE  
TESTS OF BUILDING CONSTRUCTION AND  
MATERIALS"



**Thermapan**  
Structural  
Insulated  
Panels

[www.thermapan.com](http://www.thermapan.com)  
1-877-443-WALL (9255)

TITLE

## 60 MIN. PARTYWALL DOUBLE WALL STC RATING 50

PROJECT

REFERENCE

7016

SCALE

N.T.S.

DATE


JULY 2023

REVISION

6

DWG. No.

W-PW-3



#### ASSEMBLY OF RESILIENT CHANNEL (5)

THE RESILIENT CHANNELS ARE ORIENTED VERTICALLY AT 16" (400 mm) OC AND SECURED WITH 1" (25 mm) TYPE W GYPSUM BOARD SCREWS AT 16" (400 mm) OC TO THE STRUCTURAL INSULATED PANEL (SIP).

#### ASSEMBLY OF SONOSECUR ACOUSTIC PANEL (4)

TACK THE SONOSECUR ACOUSTIC PANEL WITH 1" (25 mm) LONG TYPE W GYPSUM BOARD SCREWS TO HOLD IN PLACE. THE SONOSECUR ACOUSTIC PANEL IS ASSEMBLED ON ONE SIDE ONLY.

#### ASSEMBLY OF FIRST LAYER 5/8" TYPE C GYPSUM (6)


INSTALL THE FIRST GYPSUM LAYER (6) VERTICALLY ONTO RESILIENT CHANNELS WITH 1" (25 mm) TYPE W GYPSUM SCREWS SPACED 16" (400 mm) OC.

#### ASSEMBLY OF SECOND LAYER 5/8" TYPE C GYPSUM (7)

THE JOINTS OF THE SECOND LAYER SHOULD BE OFFSET AND STAGGERED FROM FIRST LAYER. THE SECOND LAYER SHOULD HAVE 1.75" (44 mm) SCREWS AT 12" (304 mm) OC. THE FIRST LAYER OF GYPSUM DOES NOT HAVE TO BE TAPE. ONLY THE SECOND LAYER HAS TO BE FINISHED. JOINTS SHOULD BE COVERED WITH COMPOUND, COVERED WITH JOINT TAPE AND COVERED WITH AN ADDITIONAL TWO COATS OF JOINT COMPOUND. SCREW HEADS COVERED WITH JOINT COMPOUND.

UL GYPSUM BOARD FIRECODE "C"

 <p><b>Thermapan</b> Structural Insulated Panels</p> <p>www.thermapan.com 1-877-443-WALL (9255)</p>	TITLE		PROJECT	
	PARTYWALL ELECTRICAL DETAIL (60 MIN. WALL RATED ASSEMBLY (DOUBLE WALL) STC RATING 50)			
	REFERENCE	SCALE		
	8015	N.T.S.		
DATE	REVISION	DWG. No.	W-PW-4	
	JULY 2023	7		




NOTE: REFER TO W-1 FOR SPLINE CONNECTION DETAILS. REFER TO AIR BARRIER (AB-1 & AB-2) DETAILS FOR SEALING SIP CONNECTIONS.

THE PANELS ARE FASTENED TO THE POST AT THE CORNERS AS SHOWN LEAVING A GAP TO BE SEALED WITH EXPANDING SPRAY FOAM.


DIMENSIONAL LUMBER INLAYS COMPLETE THE NAILING SURFACE AT THE CORNER.

 <p><b>Thermapan</b> Structural Insulated Panels</p> <p>www.thermapan.com 1-877-443-WALL (9255)</p>	TITLE		PROJECT	
	VERTICAL PANEL CONNECTIONS SPLINE & CORNER (TIMBERFRAME)			
	REFERENCE			
	SCALE N.T.S.			
DATE APRIL 2014		REVISION 6	DWG. No. W-TF-1	



**NOTE:** REFER TO AIR BARRIER (AB-1 & AB-2) DETAILS FOR SEALING SIP CONNECTIONS.

 <p><b>Thermapan</b> Structural Insulated Panels</p> <p>www.thermapan.com 1-877-443-WALL (9255)</p>	TITLE		PROJECT	
	<b>HORIZONTAL CONNECTIONS AT BEAMS (TIMBERFRAME)</b>			
	REFERENCE	SCALE		
		N.T.S.		
	DATE	REVISION	DWG. No.	
	APRIL 2014	3	W-TF-2	



**NOTE:** REFER TO AIR BARRIER (AB-2) DETAIL FOR SEALING SIP CONNECTIONS.

 <p><b>Thermapan</b> Structural Insulated Panels</p> <p>www.thermapan.com 1-877-443-WALL (9255)</p>	<p>TITLE</p> <h3>FOUNDATION DETAILS DECK OPTIONS (TIMBERFRAME)</h3>		PROJECT
	REFERENCE	SCALE	
		N.T.S.	
	DATE	REVISION	DWG. No.
	APRIL 2014	5	W-TF-3